

- (b) Find the characteristic equation, eigenvalues and eigen vector corresponding to any one eigen value for the matrix

$$\begin{bmatrix} 1 & 2 & 3 \\ 1 & 3 & 5 \\ 1 & 5 & 12 \end{bmatrix}$$

- (c) Find the inverse of the matrix $\begin{bmatrix} 1 & 2 & 1 \\ 3 & 2 & 3 \\ 1 & 1 & 2 \end{bmatrix}$ using elementary operations.

(4,4,4)

3. (a) Find the image of the unit square with vertices (0,0), (0,1) (1,1), (1,0) under a translation by vector (1,1).

- (b) Find the rank of the matrix $\begin{bmatrix} 1 & 1 & -1 & 1 \\ 1 & -1 & 2 & -1 \\ 3 & 3 & 0 & 1 \end{bmatrix}$.

- (c) Find the values of c for which the set of vectors $\{(2, -c), (2c + 6, 4c)\}$ in \mathbb{R}^2 are linearly dependent. (4,4,4)

SECTION II

4. (a) Sketch the graph of $y = |x - 3| + 7$. Mention the transformation used at each step.

- (b) A bacteria culture is known to grow at a rate proportional to the number present. After one hour, 1000 bacteria are observed in the culture and after 4 hours, it is 3000. Determine the number of bacteria originally present in the culture.

- (c) Draw the level curve of $f(x,y) = 9x^2 + 25y^2$ of height $k = 1, 2$. (6,6,6)

5. (a) If $y = e^{m \sin^{-1}(x)}$, show that

$$(1 - x^2)y_{n+2} - (2n + 1)xy_{n+1} - (n^2 + m^2)y_n = 0$$

- (b) Show that $z = e^{-y} \cos(x)$ is a solution of Laplace's equation.
- (c) Find Taylor series generated by $f(x) = \cos(2x)$ about $x = 0$ (assuming the possibility of its expansion). (6,6,6)

6. (a) Discuss the convergence of the sequences :

(i) $\left\langle \frac{2n-1}{3n} \right\rangle$

(ii) $\left\langle \frac{\cos^2(n)}{n^2} \right\rangle$

(b) If $z = 3xy - y^3 + (y^2 - 2x)^{3/2}$. Show that

$$\frac{\partial^2 z}{\partial x \partial y} = \frac{\partial^2 z}{\partial y \partial x}$$

(c) Find $\frac{d^n y}{dx^n}$ where $y = \cos^3 x$. (6,6,6)

SECTION III

7. (a) Simplify $\left(\frac{1 + \cos\theta + i \sin\theta}{1 + \cos\theta - i \sin\theta} \right)^n$.
- (b) Find the equation of the circle described on the join of the points $1 + i$ and $2 - i$ as extremities of one of its diameters. (4,3,5)
8. (a) Use De Moivre's Theorem to solve the following equation :

$$z^7 + z = 0$$

- (b) Find the equation of the straight line joining the points whose affixes are $1 - i$ and $2 - 5i$. (4,3.5)
9. (a) Form an equation of lowest degree with real coefficients that has $2 + 3i$ and $3 - 2i$ as two of its roots.
- (b) Find all the values of $(\sqrt{3} - i)^{2/5}$. (4,3.5)